FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Total Metals By EPA Method 200.8

Client ID:	M 124713	Client:	Alaskan Copper Works
Date Received:	03/04/10	Project:	Metro Self Monitor, F&BI 003045
Date Extracted:	03/05/10	Lab ID:	003045-01 x10
Date Analyzed:	03/05/10	Data File:	003045-01 x10.020
Matrix:	Water	Instrument:	ICPMS1
Units:	ug/L (ppb)	Operator:	AP

Internal Standard:	% Recovery:	Lower Limit:	Upper Limit:
Germanium	97	60	125

Analyte:	Concentration ug/L (ppb)
Chromium	381
Nickel	402
Copper	423
Zinc	584

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Total Metals By EPA Method 200.8

Client ID:	Method Blank	Client:	Alaskan Copper Works
Date Received:	Not Applicable	Project:	Metro Self Monitor, F&BI 003045
Date Extracted:	03/05/10	Lab ID:	I0-105 mb
Date Analyzed:	03/05/10	Data File:	I0-105 mb.039
Matrix:	Water	Instrument:	ICPMS1
Units:	ug/L (ppb)	Operator:	AP

Internal Standard:	% Recovery:	Lower Limit:	Upper Limit:
Germanium	110	60	125

Analyte:	Concentration ug/L (ppb)
Chromium	<1
Nickel	<1
Copper	<1
Zinc	<1

Date of Report: 03/10/10
Date Received: 03/04/10
Project: Metro Self Monitor, PO M 124713, F&BI 003045

QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF WATER SAMPLES FOR TOTAL METALS USING EPA METHOD 200.8

Laboratory Code: 003021-01 (Duplicate)

Analyte	Reporting Units	Sample Result	Duplicate Result	Relative Percent Difference	Acceptance Criteria
Chromium	ug/L (ppb)	<1	<1	nm	0-20
Nickel	ug/L (ppb)	7.43	7.42	0	0-20
Copper	ug/L (ppb)	2.85	2.86	0	0-20
Zinc	ug/L (ppb)	2.74	1.19	79 a	0-20

Laboratory Code: 003021-01 (Matrix Spike)

Analyte	Reporting Units	Spike Level	Sample Result	Percent Recovery MS	Acceptance Criteria
Chromium	ug/L (ppb)	20	<1	93	67-132
Nickel	ug/L (ppb)	20	7.43	97 b	73-119
Copper	ug/L (ppb)	20	2.85	95	50-144
Zinc	ug/L (ppb)	50	2.74	94	46-148

Laboratory Code: Laboratory Control Sample

Analyte	Reporting Units	Spike Level	Percent Recovery LCS	Acceptance Criteria
Chromium	ug/L (ppb)	20	91	66-135
Nickel	ug/L (ppb)	20	102	67-134
Copper	ug/L (ppb)	20	106	66-134
Zinc	ug/L (ppb)	50	100	57-135

Data Qualifiers & Definitions

a - The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.

A1 – More than one compound of similar molecule structure was identified with equal probability.

b - The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.

ca - The calibration results for this range fell outside of acceptance criteria. The value reported is an estimate.

c - The presence of the analyte indicated may be due to carryover from previous sample injections.

d - The sample was diluted. Detection limits may be raised due to dilution.

ds - The sample was diluted. Detection limits are raised due to dilution and surrogate recoveries may not be meaningful.

dv - Insufficient sample was available to achieve normal reporting limits and limits are raised accordingly.

fb - Analyte present in the blank and the sample.

fc – The compound is a common laboratory and field contaminant.

hr - The sample and duplicate were reextracted and reanalyzed. RPD results were still outside of control limits. The variability is attributed to sample inhomogeneity.

ht - Analysis performed outside the method or client-specified holding time requirement.

ip - Recovery fell outside of normal control limits. Compounds in the sample matrix interfered with the quantitation of the analyte.

j – The result is below normal reporting limits. The value reported is an estimate.

J - The internal standard associated with the analyte is out of control limits. The reported concentration is an estimate.

jl - The analyte result in the laboratory control sample is out of control limits. The reported concentration should be considered an estimate.

jr - The rpd result in laboratory control sample associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

js - The surrogate associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

lc - The presence of the compound indicated is likely due to laboratory contamination.

L - The reported concentration was generated from a library search.

nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.

pc – The sample was received in a container not approved by the method. The value reported should be considered an estimate.

pr – The sample was received with incorrect preservation. The value reported should be considered an estimate.

ve - Estimated concentration calculated for an analyte response above the valid instrument calibration range. A dilution is required to obtain an accurate quantification of the analyte.

vo - The value reported fell outside the control limits established for this analyte.

x - The sample chromatographic pattern does not resemble the fuel standard used for quantitation.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Charlene Morrow, M.S.
Yelena Aravkina, M.S.
Bradley T. Benson, B.S.
Kurt Johnson, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
TEL: (206) 285-8282
FAX: (206) 283-5044
e-mail: fbi@isomedia.com

March 10, 2010

DUPLICATE

INVOICE # 10ACU0310-1

Accounts Payable
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

RE: Project Metro Self Monitor, PO M 124713, F&BI 003045 - Results of testing requested by Gerry Thompson for material submitted on March 4, 2010.

1 sample analyzed for Total Chromium, Copper, Nickel and Zinc by Method 200.8 @ $85 per sample	$ 85.00
Amount Due	$ 85.00

FEDERAL TAX ID #(b) (6)

003045

SAMPLE CHAIN OF CUSTODY

ME 03/04/10

AIY

Send Report To Geneo Thompson

Company ALASKAN Copper Works

Address 628 S. Hanford St

City, State, ZIP Seattle WA 98134

Phone #206-571-6083 Fax #206-382-4309

SAMPLERS (Signature)

PROJECT NAME/NO.: METRO SELF Monitor

PO #: M124713

REMARKS

Page # _____ of _____

TURNAROUND TIME
- ☐ Standard (2 Weeks)
- ☒ RUSH 4 day

Rush charges authorized by:

SAMPLE DISPOSAL
- ☐ Dispose after 30 days
- ☐ Return samples
- ☐ Will call with instructions

Sample ID	Lab ID	Date	Time	Sample Type	# of containers	ANALYSES REQUESTED: TPH-Diesel	TPH-Gasoline	BTEX by 8021B	VOCs by 8260	SVOCs by 8270	HFS	Cu, Ni, Zn					Notes
M 124713	01	3/4/10	1:00pm	H2O	1							✓					

SIGNATURE	PRINT NAME	COMPANY	DATE	TIME
Relinquished by:	Geneo Thompson	ACW	3/4/10	1:37pm
Received by:	Nhan Phan	FEBT	3/4/10	V
Relinquished by:				
Received by:				

Friedman & Bruya, Inc.
3012 16th Avenue West
Seattle, WA 98119-2029
Ph. (206) 285-8282
Fax (206) 283-5044

FORMS\COC\COC.DOC

Samples received at 18 °C

AKC-0004998

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Charlene Morrow, M.S.
Yelena Aravkina, M.S.
Bradley T. Benson, B.S.
Kurt Johnson, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
TEL: (206) 285-8282
FAX: (206) 283-5044
e-mail: fbi@isomedia.com

March 10, 2010

Gerry Thompson, Project Manager
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

Dear Mr. Thompson:

Included are the results from the testing of material submitted on March 4, 2010 from the Metro Self Monitor, PO M 124713, F&BI 003045 project. There are 4 pages included in this report. Any samples that may remain are currently scheduled for disposal in 30 days. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.

Kortland Orr
Project Manager

Enclosures
ACU0310R.DOC